



COMPACTED BACKFILL

NEW BEDDING HAND OR MACHINE TAMPED

UNDISTURBED BEDDING

WATER TIGHT FLEXIBLE COUPLING CONFORMING TO A.S.T.M. C-425 BANDED WITH TWO SERIES 300 STAINLESS STEEL BANDS. FERNCO STRONG-BACK COUPLINGS, OR APPROVED EQUAL.

UNDISTURBED BEDDING

COMPACTED BACKFILL

UNDISTURBED BEDDING

EXISTING SEWER

REPLACE EXISTING SEWER WITH SDR 35 PVC PIPE

EXISTING SEWER

UNDISTURBED BEDDING

UNDISTURBED BEDDING

6" MIN.

NEW BEDDING HAND OR MACHINE TAMPED. REFER TO BEDDING DETAIL.

NOTES:

1. SANITARY SEWERS MAY NOT BE CUT WITHOUT THE EXPRESSED CONSENT OF THE DISTRICT. A DISTRICT REPRESENTATIVE WILL BE ON SITE DURING CONSTRUCTION.

Kennedy/Jenks Consultants
Engineers & Scientists

165 S Union Boulevard
 Suite 570
 Lakewood, CO 80228
 303 985 3636 TEL.

SOUTH ENGLEWOOD SANITATION DISTRICT

www.southenglewood.org

SEWER POINT REPAIR
 DETAIL

DRAWING NO.: SESD-PUB-25S DATE: 8/19